British Journal of Plastic Surgery (1993), **46**, 719–728
© 1993 The British Association of Plastic Surgeons

BRITISH JOURNAL OF PLASTIC SURGERY

Subject Index

A

Abdominoplasty, paraplegic patients, 337
Adipofascial turn-over flaps, 307
Alopecia *see* Baldness
Anaesthesia, local, relation of temperature of solution to pain of injection, 76
Angelmann syndrome (letter to the editor), 175
Apert's syndrome 542 (letter to the editor)
  upper airway obstruction, 355
Arteries
  grafts, ischaemic, functional and structural effects of hypothermic storage, 570
  hypothermic storage, 570
Arteriovenous malformations, intratumoral ligation, 694
Axial pattern flaps
  frontonasal, refinements, 371
  neurocutaneous island flaps, forearm, 489
  regional tissue blood flow, non-radioactive coloured microsphere measurement, 127

B

Baldness, male pattern, treatment with bilateral vertical flaps plus tissue expansion, 611
Balloon catheters, use as intraoperative tissue expanders, 339
Beare-Stevenson syndrome and associated congenital anomalies, 443
Birthmarks, pigmented, treatment with pigmented lesion dye laser, 247
Blood flow
  cutaneous, in free TRAM flap, 665
  deep venous system and reverse flow flaps, 652
  non-radioactive coloured microsphere measurement of regional tissue blood flow for axial pattern flaps in rabbits, 127
  prefabricated flaps, 449
Bone lengthening by gradual distraction
  mandible, 686
  midface advancement, 201
Botulinum A chemodenervation, cerebral palsied hands, 703
Brachytherapy, early postoperative, following free flap reconstruction, 511
Breast
  implants, transaxillary approach, endoscopic assisted, 332
  prostheses, use of nio-oncotic gel in Misti Gold prostheses, 240
  see also Mammaplasty
Bupivacaine, in treatment of postoperative donor site pain, 523
Burns
  cerium nitrate/silver sulphadiazine dressing, 582
  cultured epidermal grafts, role of Tisseel® (tissue glue), 136
  dressings, comparison of honey impregnated gauze and polyurethane film, 322
  facial, nasal tube fixation (ideas and innovations), 173
  healing, histopathological evaluation of local regimens, 585
  immunosuppression in severe burns, 410
  skin grafts, subcutaneous instillation of donor sites, 324
  treatment, use of FK506 and skin allografting, 410

C

C-ring flap, 97
Capsules
  contractile fibroblasts in capsules around tissue expanders and implants, 547
  peri-implant capsule flaps, 456
Carcinoma
  basal cell
    Mohs surgery, 599
    perineal infiltration, 156
  squamous cell, recurrence at base of nasolabial flaps used for intraoral reconstruction (case report), 266
Catheters, balloon *see* Balloon catheters
Cerebral palsy, botulinum A chemodenervation of hand deformity, 703
Cerebrospinal fluid leaks, anterior fossa, galea frontalis myofascial flaps, 503
Cerium nitrate/silver sulphadiazine mixture as topical burns dressing, 582
Cervicopectoral rotation flap, in facial reconstruction, 375
Chondrosarcoma, following free fibula transfer for non-union of tibia (case report), 85
Circumflex scapular artery, anatomical investigations of cutaneous branches and their communications, 160
Cleft surgery
  evaluation, role of clinical trial, 258
  see also Lips, cleft; Nose, cleft lip
Clefts, facial
  epidemiology in central province of Saudi Arabia, 673
  see also Lips, cleft; Palate, cleft
Composite grafts, survival, effect of postoperative cooling, 707
Contractures, hands of children with epidermolysis bullosa, surgical treatment, 314
Cooling, postoperative, to enhance composite graft survival, 707
Craniofacial surgery, midface advancement by gradual distraction, 201
Craniosynostoses, syndromal, upper airway obstruction, 355
Cross-finger flaps, C-ring flap, 97
Crouzon syndrome, upper airway obstruction, 355

D

Darrier's disease (letter to the editor), 346
Delay, flow-through venous flaps, experimental study, 56
Dermis, surface ultrastructure, 460
Dermofluorometry, quantitative, in study of venous flap viability, 273
Digital artery flaps, reverse
  and cold intolerance (letter to the editor), 374
  innervated through bilateral neurorrhaphy, use for reconstruction of pulp defects, 483
  in reconstruction of finger defects (letter to the editor), 87
Digits, replantation, leeching using styrofoam cup (ideas and innovations), 621
Distraction, gradual
  mandible, 686
  midface advancement, 201
Dressings, burns *see* Burns, dressings
DuoDERM E® in treatment of split-skin graft donor sites
  comparison with scarlet red, 79
  comparison with Zenoderm®, 82

E

Ears, reconstruction, compressive plastic splint (ideas and innovations), 622

Encephalocoeles, basal, imaging and exposing hernia, 497
Enophthalmos, orbital neurofibromatosis and, 36
Epidermal grafts, cultured
role of Tisseel® (tissue glue), 136
see also Keratinocytes
Epidermolysis bullosa
hand splintage following surgery, 192
surgical treatment of contracture and syndactyly in children, 314
Epiphora in facial paralysis, 143, 149
slitting lower canaliculus in, 148
Epiphyseal plate, free graft, growth potential, 416
Ethics and plastic surgery, defining medical ethics, 647
Extravasation injuries, 91
Eyebrows, reconstruction, secondary vascularised hair-bearing island flaps, 45
Eyelids, upper, gold weight insertion in facial palsy, morbidity (letters to the editor), 343, 344

F

Face
burns, nasal tube fixation (ideas and innovations), 173
fractures, associated injuries, review of 839 patients, 635
midface advancement by gradual distraction, 201
progressive hemifacial atrophy
aesthetic treatment, 194
skeletal involvement and treatment, 39
reconstruction, cervicopectoral rotation flap, 375
wounds, use of toothbrush for debridement (letter to the editor), 627
Facial paralysis
epiphora in, 143, 149
gold weight insertion in upper eyelids, morbidity (letters to the editor), 343, 344
Fasciitis, necrotising, head and neck (letters to the editor), 176, 345, 715
Fasciocutaneous flaps
medial lower leg, distally based, 639
scapular, for reconstruction of posterior neck, 508
Feet
plantar ulcers, treatment by distally based island first dorsal metatarsal artery flap, 480
reconstruction using vascularised fibula, 317
Fibroblasts
contractile, in capsules around tissue expanders and implants, 547
skin, comparison in newborn and old subjects and potential for tissue repair, 132
Fibula
free transfer to tibia, chondrosarcoma at recipient site (case report), 85
free vascularised flaps, morbidity, 466
vascularised, use in foot reconstruction, 317
Fingers
cross-finger flaps, C-ring flap, 97
injury, splints (letter to the editor), 344
microsurgical distal reconstruction following mutilating injuries, 181
pulp defects, reverse digital artery flap innervated through bilateral neurorrhaphy, 483
reconstruction of defects, reverse digital artery flap (letter to the editor), 87
cold intolerance in (letter to the editor), 87
replantation, leeching using styrofoam cup (ideas and innovations), 621
Fingertips
reconstruction, effect of postoperative cooling on composite graft survival, 707
replantation with afferent A-V anastomosis for venous drainage, 187
Fistulae *see under names of specific fistulae*
FK506, use with skin allografting for treatment of severe burns, 410
Forearm
free flaps, in reconstruction of cervical trachea, 32
neurocutaneous axial island flaps, anatomical, experimental and preliminary clinical results, 489
tenolysis, use of omentum as gliding material, 590
Free flaps
forearm, in reconstruction of cervical trachea, 32
pedicle transfer beneath skin bridge (ideas and innovations), 340
use of early postoperative brachytherapy, 511
vascularised fibula, morbidity, 466
Free grafts, epiphyseal plate, growth potential, 416
Frontal sinus fractures, treatment, 208
Frontonasal flaps, axial, refinements, 371

G

Galea frontalis myofascial flaps, in anterior fossa CSF leaks, 503
Groin defects, use of inferiorly based rectus abdominis flap, 168

H

Hair-bearing island flaps, secondary vascularised, for eyebrow reconstruction, 45
Hands
cerebral palsied, botulinum A chemodenervation, 703
contractures, surgical treatment in children with epidermolysis bullosa, 314
splints, following surgery for epidermolysis bullosa, 192
Head and neck
necrotising fasciitis (letters to the editor), 176, 345, 715
prefabricated flaps, 223
Heel pad hypertrophy, bilateral (letter to the editor), 87
Hemifacial atrophy, progressive
aesthetic treatment, 194
skeletal involvement and treatment, 39
Heparinised saline irrigation solutions in prevention of microvascular thrombosis, comparison of (letter to the editor), 268
Honey impregnated gauze, use as burn dressing, 322
Hypospadias repair in circumcised patients, use of T flap, 164
Hypothermic storage, effects on ischaemic arterial grafts, 570

I

Implants
capsules, contractile fibroblasts in, 547
peri-implant capsule flaps, 456
Island flaps
neurocutaneous axial, forearm, 489
vascularised hair-bearing, for eyebrow reconstruction, 45
venous, query if purely venous, 285

K

Kaltostat, in treatment of postoperative donor site pain, 523
Keloid, treatment methods' evaluation, 10-year follow-up study (letter to the editor), 87
Keratinocytes
cultured
importance of dermis for *in vivo* growth, 401
porcine model using skin graft chambers, 393
grafts
effect of backing on autograft take, 228
restoration of basement membrane structure following autografting, 384
variable rejection patterns of allografts in rabbits, 235
Kerato-dermal grafts, importance of dermis for *in vivo* growth of cultured keratinocytes, 401
Ketorolac
effects on microvascular thrombosis 296

L

Lasers, Pigmented Lesion Dye (PLDL-1), in treatment of pigmented birthmarks, 247
Leeches
  digital replantation, use of styrofoam cup (ideas and innovations), 621
  retrieval (letter to the editor), 543
Legs, lower
  distally based medial fasciocutaneous flaps, 639
  double V-Y advancement in reconstruction of skin defects, 644
Lipomatosis, mediastinal, and sebaceous naevus of Jadassohn (case report), 264
Lips, cleft
  early repair of unilateral cleft lip using small triangular flap, and nasal correction, 616
  epidemiology in central province of Saudi Arabia, 673
  nose deformities *see* Nose, cleft lip
  repair, modified Z-plasty in unilateral cleft lip, 676
Lower limbs
  double V-Y advancement in reconstruction of skin defects, 644
  localised varicosities in 39-year-old tissue transfer (case report), 712

M

Mammaplasty
  augmentation, transaxillary, endoscopic assisted, 332
  reduction, Lejour vertical scar technique, 516
Mandible, lengthening by gradual distraction, with use of accurate skull replicas, 686
Melanoma, malignant
  excision margins, 525
  histopathology as prognostic guide, 72
  non-medical implications, 158
  thin, with poor prognosis, 607
Meningococcal septicaemia, management of skin infarction following, 243
Metatarsal artery flaps, first dorsal, distally based island flaps, for coverage of distal plantar defect, 480
Microspheres, non-radioactive coloured, in measurement of regional tissue blood flow for axial pattern flaps in rabbits, 127
Microvascular anastomosis
  loop sutures, 105
  new technique for vessels with great discrepancy in diameter (ideas and innovations), 619
Microvascular prostheses, healing of microvenous PTFE prostheses in rat femoral vein, 110
Mohs surgery of basal cell carcinoma, 599
Mouth
  cancer
    management, pursuit of function and cosmesis, 23
    recurrence of intraoral squamous cell carcinoma at base of nasolabial flaps (case report), 266
  intraoral reconstruction, nasolabial flaps, recurrence of squamous cell carcinoma at base (case report), 266
  intraoral soft tissue replacement, supramalleolar peroneal flap based on septocutaneous perforators, 151
Muscle grafts, in repair of mixed peripheral nerves, 557
Muscle transplantation, pharyngoplasty by, 430, 440
Musculocutaneous flaps
  rectus abdominis, inferiorly based, for inguinal and perineal coverage – low pressure zone concept, 168
  transverse rectus abdominis, free, cutaneous blood flow, 665
Myofascial flaps
  galea frontalis, in anterior fossa CSF leaks, 503
  in treatment of chronic recurrent synovial fistulae, 303

N

Naevi
  sebaceous naevus of Jadassohn and primary mediastinal lipomatosis (case report), 247
  treatment with pigmented lesion dye laser, 247
Nasal tube fixation in facial burns patients (ideas and innovations), 173
Nasolabial flaps, in intraoral reconstruction, recurrence of intraoral squamous cell carcinoma at base (case report), 266
Neck, posterior, reconstruction using scapular fasciocutaneous flap, 508
Nerves
  grafts, regeneration, effect of omental wrapping, 426
  location, use of wire sutures (case report), 263
  peripheral, histological examination of nerves elongated by tissue expanders, 421
Neurocutaneous axial island flaps, forearm: anatomical, experimental and preliminary clinical results, 489
Non-radioactive coloured microspheres, in measurement of regional tissue blood flow for axial pattern flaps in rabbits, 127
Nose
  cleft lip
    computer-aided method of measuring nasal symmetry, 13
    repair, assessment of early versus no nasal correction, 7
    repair, comparison of computer versus panel assessment, 18
    repair, morbidity review at around 10 years of age, 1
    repair, neonates, 616
    repair, one stage open tip rhinoplasty at time of bilateral lip repair: Alor Setar experience, 215
    repair, one stage open tip rhinoplasty at time of unilateral lip repair: Alor Setar experience, 363
    vestibular fold (letter to the editor), 345
  reconstruction, effect of postoperative cooling on composite graft survival, 707
  rhinoplasty, psychological studies, comparison of NHS and private patients, 327
  self-retaining splint (letter to the editor), 714
  tip, repair, axial frontonasal flap, 371

O

Obituaries, Wilflingseder, Paul, 626
Ofloxacin, release from silicone gel sheet, 576
Omentum
  as gliding material after forearm tenolysis, 590
  use in nerve graft wrapping, 426
Oral *see* Mouth
Orbit, neurofibromatosis with enophthalmos, 36
Orf, human, 532
Oro-antral fistulae, chronic, sinus obliteration (case report), 341

P

Palate, cleft, 673
  pharyngoplasty by muscle transplantation, 430
  repair, role of postoperative arm splints in babies, 681
  tongue flap repair (letter to the editor), 543
Paraplegics, abdominoplasty, 337
Penis, subtotal amputation in children, 535
Perineum, defects, use of inferiorly based rectus abdominis flap, 168
Peripheral nerves, repair of mixed peripheral nerves using muscle autografts, 557
Peroneal flap, supramalleolar, based on septocutaneous perforators, use in intraoral soft tissue replacement, 151
Pfeiffer syndrome, upper airway obstruction, 355
Pharyngoplasty by muscle transplantation, 430, 440
  in failed cleft palate cases, with special reference to influence of pharynx on voice production, 430
Pharynx, influence on voice production, 430
Plantar defects, distal, distally based island first dorsal metatarsal artery flap, 480
Polytetrafluoroethylene (PTFE) microvenous prostheses, healing, in rat femoral vein, 110
Polyvinylpyrrolidone (PVP), low molecular weight, use in breast prostheses, 240
Prefabricated flaps
  blood flow through, 449
  for head and neck, 223
  using exteriorised vascular pedicle in rabbit ear model, 279
  venous, experimental study in rabbits, 122
Pressure garments, pressure development under, 538
Pretibial injuries in elderly, comparison of early mobilisation and bed rest following surgical treatment, 594

Prostaglandin E1
effect on skin flap survival, comparison of topical and systemic administration, 670
relationship between time of application and improved flap survival, 580
Prostheses
breast *see* Breast, prostheses
PTFE microvenous, healing, in rat femoral vein, 110
Psychology, comparison of NHS and private rhinoplasty patients, 327

R

Rectus abdominis muscle, inferiorly based flap for inguinal and perineal coverage – low pressure zone concept, 168
Reverse digital artery flaps
and cold intolerance (letter to the editor), 374
innervated through bilateral neurorrhaphy, for reconstruction of pulp defects, 483
in reconstruction of finger defects (letter to the editor), 87
Reverse flow flaps, deep venous system and, 652
Romberg's disease *see* Hemifacial atrophy, progressive

S

Scapular artery, circumflex *see* Circumflex scapular artery
Scapular fasciocutaneous flaps, for reconstruction of posterior neck, 508
Scarlet red in treatment of split-skin graft donor sites, 79
Scars, hypertrophic, evaluation, 10-year follow-up study (letter to the editor), 87
Sebaceous naevus of Jadassohn and primary mediastinal lipomatosis, 247
Shaving, deep, for excision of benign pigmented tumours, 255
Sialadenitis, xanthogranulomatous (case report), 624
Silicone gel sheets, release of ofloxacin from, 576
Silver sulphadiazine
burn healing pattern with, 585
with cerium nitrate, as topical burns dressing, 582
Skin
benign pigmented tumours, excision by deep shaving, 255
fibroblasts, comparison in newborn and old subjects and potential for tissue repair, 132
flaps
neural and vascular changes in rat groin flaps, immunohistochemical study, 48
prefabrication using exteriorised vascular pedicle, 279
snuff-box flap, 252
survival, effect of Prostaglandin E1, comparison of topical and systemic administration, 670
survival, following secondary ischaemia, effect of perfusion by University of Wisconsin (UW) solution, 288
grafts
donor sites, comparison of DuoDerm E® and scarlet red in treatment of split-skin graft donor sites, 79
donor sites, comparison of Zenoderm® and DuoDERM E® in treatment of split-skin graft donor sites, 82
donor sites, subcutaneous instillation in burns patients, 324
donor sites, treatment of pain with bupivacaine and kaltostat, 523
severe burns, use of FK506, 410
split-skin grafts, burns patients, subcutaneous instillation of donor sites, 324
split-skin grafts, comparison of DuoDerm E® and scarlet red in treatment of donor sites, 79
split-skin grafts, comparison of Zenoderm® and DuoDERM E® in treatment of donor sites, 82
split-skin grafts, treatment of donor site pain, 523
storage, and keratinocyte viability, 292
wounds, mechanical properties, 565
necrosis following meningococcal septicaemia, management, 243
Snuff-box flap, 252
Splints
compressive plastic, for use in ear reconstruction (ideas and innovations), 622
finger injury (letter to the editor), 344
hands, following surgery for epidermolysis bullosa, 192
nasal, self-retaining (letter to the editor), 714
Sutures
loop, microsurgical telescoping anastomosis, 105
wire, as aid to locating nerves (case report), 263
Syndactyly, treatment
children with epidermolysis bullosa, 314
reverse W-M plasty, 300
Synovial fistulae, chronic recurrent, treatment with myofascial flaps, 303

T

Tenolysis, forearm, use of omentum as gliding material, 590
Thromboembolism, prophylaxis (letters to the editor), 175, 627
Thrombosis, microvascular
effects of ketorolac on 296
heparinised saline irrigation solutions, comparison (letter to the editor), 268
Thumb, microsurgical distal reconstruction following mutilating-injuries, 181
Thumb-in-palm deformity, botulinum A chemodenervation, 703
Tibia
chondrosarcoma, at site of free fibula transfer for non-union of tibia (case report), 85
open fractures, soft tissue management (letter to the editor), 344
Tibial vessels, posterior, anatomic basis and clinical applications of flaps based on, 470
Tisseel®
and *in vivo* evolution of human cultured epidermis, 136
role in grafting process, 136
Tissue expansion
contractile fibroblast in capsules around tissue expanders, 547
histological changes in elongated peripheral nerves, 421
intraoperative, use of balloon catheter, 339
in treatment of male pattern baldness, along with flaps, 611
Tongue flap in treatment of cleft palate (letter to the editor), 543
Toothbrush, use in debridement of facial wounds (letter to the editor), 627
Toradol *see* Ketorolac
Trachea, cervical, reconstruction with free forearm flap, 32
Transverse rectus abdominis musculocutaneous (TRAM) flaps, free, cutaneous blood flow, 665
Tubes, nasal, fixation in facial burns patients (ideas and innovations), 173
Turn-over flaps, adipofascial, 307

U

University of Wisconsin (UW) solution, effect of perfusion on skin flap survival following secondary ischaemia, 288

V

V-Y advancement flaps, double, in reconstruction of skin defects of anterior lower limb, 644
Varicosities in donor tissue in 39-year-old reconstruction of lower limb (case report), 712
Venous flaps
arterialised, 61
flow-through
delay in, 56
experimental, 378
island flaps, query if purely venous, 285
pedicled
clinical applications, 68
experimental study, 116
prefabricated, experimental study in rabbits, 122
viability
comparison of arterialised and non-arterialised flaps, 273
study by quantitative dermofluorometry, 273
Venous system, deep, and reverse flow flaps, 652
Vestibular fold, in cleft lip nose (letter to the editor), 345

W

W-M plasty, reverse, in repair of congenital syndactyly, 300
Wilflingseder, Paul, obituary, 626
Wire sutures, as aid to locating nerves (case report), 263
Wounds
  dressings, split-skin graft donor sites
    comparison of DuoDERM® and scarlet red, 79
    comparison of Zenoderm® and DuoDERM®, 82
  healing
    early postoperative brachytherapy following free flap reconstruction, 511
    skin fibroblasts and, comparison in newborn and old subjects, 132
  skin graft, mechanical properties, 565
  surface ultrastructure, 460

Z

Z-plasty, unilateral cleft lip repair, modified technique, 676
Zenoderm® in treatment of split-skin graft donor sites, 82

Author Index

A

Agrawal, R. W., jt.author. *See* Panchal, J. I.
Al-Qattan, M. M. and Zuker, R. M. The use of a styrofoam cup in leeching replanted digits (ideas and innovations), 621
Albanova, V. I., jt.author. *See* Vozdvizhensky, S. I.
Alonso, P. E., Perula, L. A. and Rioja, L. F. Pain-temperature relation in the application of local anaesthesia, 76
Alvarez, A., jt.author. *See* Taboada, E.
Amarante, J., jt.author. *See* Costa, H.
Amiss, L. R., jt.author. *See* Angel, M. F.
Anderson, R. L., jt.author. *See* Patel, B. C.
Andreassen, T. T., jt.author. *See* Jørgensen, P. H.
Andrews, J. M., Martins, D. M. F. S., Ramos, R. R. and Ferriera, L. M. A severe case of Beare-Stevenson syndrome and associated congenital deformities, 443
Angel, M. F., Knight, K. R., Becker, D., Amiss, L. R. and Morgan, R. F. Amelioration of secondary ischaemic injury by perfusion with University of Wisconsin (UW) solution in rat skin flaps, 288
Arnstein, P. A. and Richards, A. M. The use of a toothbrush to debride facial wounds (letter to the editor), 627
Asko-Seljavaara, S., jt.author. *See* Tuominen, H. P.
Auger, F. A., Guignard, R., López Valle, C. A. and Germain, L. Role and innocuity of Tisseel®, a tissue glue, in the grafting process
and *in vivo* evolution of human cultured epidermis, 136
Ayan, F., jt.author. *See* Cetinkale, O.

B

Bainbridge, L. C., jt.author. *See* Blair, J. W.
Bainbridge, L. C., jt.author. *See* Telfer, J. R. C.
Bang, C., jt.author. *See* Jørgensen, P. H.
Bang, R. L., Ebrahim, M. K. H. and Lari, A. R. A. T flap hypospadias repair in circumcised patients, 164
Banzet, P., jt.author. *See* Vergote, T.
Baptista, A., jt.author. *See* Costa, H.
Bartels, H. L., jt.author. *See* van der Lei, B.
Becker, D., jt.author. *See* Angel, M. F.
Becker, P., jt.author. *See* Wall, S. A.
Bertelli, J. A. Neurocutaneous axial island flaps in the forearm: anatomical, experimental and preliminary clinical results, 489
Bhargava, A., jt.author. *See* Gopinath, K. S.
Blair, J. W., Bainbridge, L. C. and Knight, S. L. Double V-Y advancement flaps in the reconstruction of skin defects of the anterior lower limb, 644
Blake, G. B., jt.author. *See* Tan, S. T.
Blessing, K., jt.author. *See* Park, K. G. M.
Boorman, J. G., jt.author. *See* Pickford, M. A.
Borkar, A. S., Mathur, A. K. and Mahaluxmivala, S. Epidemiology of facial clefts in the central province of Saudi Arabia, 673
Bosch, M. M. C., jt.author. *See* Hoekstra, M. J.
Bowen Jones, E., Cronwright, K. and Lalbahadur, A. Anatomical studies and five years clinical experience with the distally based medial fasciocutaeous flap of the lower leg, 639
Bozdoğan, N., jt.author. *See* Karacaoğlan, N.
Brans, T. A., jt.author. *See* Hoekstra, M. J.
Breidahl, A. F., Judson, R. T., Dumble, L. J. and Clunie, G. J. A. Variable rejection patterns of cultured keratinocyte allografts in the rabbit, 235
Briggs, J. C. and Rigby, H. S. Cutaneous melanoma: pathological certainties and uncertainities, 72
Buckley, R. C., Davidson, S. F. and Das, S. K. Effects of ketorolac tromethamine (Toradol®) on a functional model of microvascular thrombosis, 296
Budny, P. G., Lavelle, J., Regan, P. J. and Roberts, A. H. N. Pretibial injuries in the elderly: a prospective trial of early mobilisation versus bed rest following surgical treatment, 594
Burgueño, M., jt.author. *See* Chamorro, M.
Butler, P. E. M., Eadie, P. A., Lawlor, D., Edwards, G. and McHugh, M. Bupivacaine and kaltostat reduces postoperative donor site pain, 523

C

Calder, J. S. and Norris, R. W. Repair of mixed peripheral nerves using muscle autografts: a preliminary communication, 557
Carceller, F., jt.author. *See* Chamorro, M.
Carver, N., Ghosh, M. M. and Green, A. R. Thromboembolic prophylaxis in plastic surgery (letter to the editor), 175
Carver, N., Navsaria, H. A., Fryer, P., Green, C. J. and Leigh, I. M. Restoration of basement membrane structure in pigs following keratinocyte autografting, 384
Carver, N., Navsaria, H. A., Green, C. J. and Leigh, I. M. The effect of backing materials on keratinocyte autograft take, 228
Cerejo, A., jt.author. *See* Costa, H.
Cetinkale, O., Cizmeci, O., Ayan, F., Senyuva, C. and Pusane, A. The use of FK506 and skin allografting for the treatment of severe burns in an animal model, 410
Chahidi, N., Fontaine, S. de and Lacotte, B. Human orf, 532
Chait, L. A., jt.author. *See* Wall, S. A.
Chamorro, M., Carceller, F., Llanos, C., Rodríguez-Alvariño, A., Colmenero, C. and Burgueño, M. The effect of omental wrapping on nerve graft regeneration, 426
Chander, C. L., jt.author. *See* Coleman, D. J.
Chandrashekar, N., jt.author. *See* Gopinath, K. S.
Chang, Y.-P., jt.author. *See* Wu, W.-C.
Chatzis, L., jt.author. *See* Dujon, D.
Chen, H. C., jt.author. *See* Wei, F. C.
Chen, H. T., jt.author. *See* Wei, F. C.
Chen, M.-T. and Horng, S.-Y. Bilateral heel pad hypertrophy (letter to the editor), 87
Chen, M.-T., jt.author. *See* Horng, S.-Y.
Chou, C.-K., jt.author. *See* Lai, C.-S.
Choyce, M. Q., Padfield, C. J. H. and Mercer, N. S. Xanthogranulomatous sialadenitis, a benign mimic of malignancy (case report), 624
Chuang, C. C., jt.author. *See* Wei, F. C.
Çiçekçi, B., jt.author. *See* Karacaoğlan, N.
Cizmeci, O., jt.author. *See* Cetinkale, O.
Clarke, J. A., jt.author. *See* Ross, D. A.
Clayman, L., jt.author. *See* Rachmiel, A.
Clunie, G. J. A., jt.author. *See* Breidahl, A. F.
Coghlan, B. A., Laitung, J. K. G. and Pigott, R. W. A computer-aided method of measuring nasal symmetry in the cleft lip nose, 13
Coghlan, B. A. and Townsend, P. L. G. The morbidity of the free vascularised fibula flap, 466
Coghlan, B. A., jt.author. *See* Laitung, J. K. G.
Cole, R. P. The role of the clinical trial in the evaluation of cleft surgery, 258
Coleman, D. J., Sharpe, D. T., Naylor, I. L., Chander, C. L. and Cross, S. E. The role of the contractile fibroblast in the capsules around tissue expanders and implants, 547
Collin, J. R. O. Epiphora in facial paralysis, 149
Colmenero, C., jt.author. *See* Chamorro, M.
Comba, S., jt.author. *See* Costa, H.
Comellas, M., jt.author. *See* Taboada, E.
Condon, K. C., jt.author. *See* Eadie, P. A.
Cormack, G. Reverse digital artery flaps: a note of caution regarding cold intolerance (letter to the editor), 87
Costa, H., Cerejo, A., Baptista, A., Vaz, R., Gonçalves, M., Guimarães, A., Amarante, J., Cruz, C. and Guimãraes, F. The galea frontalis myofascial flap in anterior fossa CSF leaks, 503
Costa, H., Cunha, C., Guimarães, I., Comba, S., Malta, A. and Lopes, A. Prefabricated flaps for the head and neck: a preliminary report, 223

Cousley, R. R. J., jt.author. *See* Whear, N. M.
Cronwright, K., jt.author. *See* Bowen Jones, E.
Cross, S. E., jt.author. *See* Coleman, D. J.
Crowe, D. M., jt.author. *See* Gray, K. A.
Cruz, C., jt.author. *See* Costa, H.
Cunha, C., jt.author. *See* Costa, H.
Cussons, P. D., Murison, M. S. C., Fernandez, A. E. L. and Pigott, R. W. A panel based assessment of early versus no nasal correction of the cleft lip nose, 7

D

Das, S. K., jt.author. *See* Buckley, R. C.
Das-Gupta, R. Keloids and hypertrophic scars (letter to the editor), 87
David, D. J., jt.author. *See* Lim, L. H.
David, D. J., jt.author. *See* Moore, M. H.
Davidson, S. F., jt.author. *See* Buckley, R. C.
Davies, M. S., jt.author. *See* Hargreaves, D. G.
Dawes, P. J. D. K., jt.author. *See* Panchal, J. I.
Dijk, F., jt.author. *See* van der Lei, B.
Drew, P. J. and Hancock, K. Thromboembolic prophylaxis (letter to the editor), 627
Duffy, F. J., Pribaz, J. J., Hergrueter, C. A. and Maitz, P. K. M. Flap prefabrication using an exteriorised vascular pedicle in a rabbit ear model, 279
Dujon, D., Chatzis, L. and Hart N. B. Thromboembolic prophylaxis in plastic surgery – reply (letter to the editor), 175
Dumble, L. J., jt.author. *See* Breidahl, A. F.
Dunaway, D. J. and Perks, A. G. B. A cheap and efficacious intraoperative tissue expander, 339
Dutrieux, R. P., jt.author. *See* Hoekstra, M. J.

E

Eadie, P. A. and Condon, K. C. Wire sutures: an aid to locating nerves (case report), 263
Eadie, P. A., jt.author. *See* Butler, P. E. M.
Ebrahim, M. K. H., jt.author. *See* Bang, R. L.
Ebrahim, M. K. H., jt.author. *See* Rajacic, N.
Edwards, G., jt.author. *See* Butler, P. E. M.
Endo, T. and Nakayama, Y. Histologic examination of peripheral nerves elongated by tissue expanders, 421
Epstein, M. D., jt.author. *See* Wei, F. C.
Escudero Nafs, F. J. Necrotising fasciitis (letter to the editor), 345
Evans, J., jt.author. *See* Wilson, D.

F

Fahmy, F. S., Navsaria, H. A., Frame, J. D., Jones, C. R. and Leigh, I. M. Skin graft storage and keratinocyte viability, 292
Fernandes, D. B., jt.author. *See* Hudson, D. A.
Fernandez, A. E. L., jt.author. *See* Cussons, P. D.
Ferreira, L. M., jt.author. *See* Andrews, J. M.
Flaharty, P., jt.author. *See* Patel, B. C.
Fontaine, S. de, Klaasen, M. and Soutar, D. S. Refinements in the axial frontonasal flap, 371
Fontaine, S. de, jt.author. *See* Chahidi, N.
Forté, R. A., jt.author. *See* Rachmiel, A.
Foucher, G., jt.author. *See* Lenoble, E.
Frame, J. D., jt.author. *See* Fahmy, F. S.
Fraulin, F. O. G. and Tredget, E. E. Subcutaneous instillation of donor sites in burn patients, 324
Freihofer, H. P., jt.author. *See* Ioannides, Ch.
Friens, J., jt.author. *See* Ioannides, Ch.
Fryer, P., jt.author. *See* Carver, N.
Fryer, P. R., jt.author. *See* Kangesu, T.
Fukui, A., Maeda, M., Tamai, S. and Inada, Y. The pedicled venous flap. Clinical applications, 68
Fukui, A., Tamai, S., Maeda, M., Inada, Y., Mii, Y. and Mine, T. The pedicled venous flap. An experimental study, 116
Fukui, A., jt.author. *See* Inada, Y.
Fukui, A., jt.author. *See* Ono, H.
Fukuta, K. and Jackson, I. T. Orbital neurofibromatosis with enophthalmos, 36

G

Gahankari, D. R., and Lalwani, N. R. Finger injury splints (letter to the editor), 344
Gault, D. T. Extravasation injuries, 91
Germain, L., jt.author. *See* Auger, F. A.
Ghosh, M. M., jt.author. *See* Carver, N.
Goddard, E. A., jt.author. *See* Hudson, D. A.
Godfrey, P. M. Sinus obliteration for chronic oro-antral fistula: a case report (case report), 341
Gonçalves, M., jt.author. *See* Costa, H.
Gopinath, K. S., Chandrashekar, N., Vijaya Kumar, M. and Bhargava, A. The scapular fasciocutaneous flap: a new flap for reconstruction of the posterior neck, 508
Goutallier, D., jt.author. *See* Lenoble, E.
Govender, D., jt.author. *See* Kimble, F. W.
Gray, K. A., Mitchell, G. M., Gurusinghe, C. J., Romeo, R., Crowe, D. M., Olivier, T. V. and Morrison, W. A. The functional and structural effects of hypothermic storage on ischaemic arterial grafts, 570
Green, A. R., jt.author. *See* Carver, N.
Green, C. J., jt.author. *See* Carver, N.
Green, C. J., jt.author. *See* Kangesu, T.
Green, C. J., jt.author. *See* Manek, S.
Grgurinovic, S., jt.author. *See* Rajacic, N.
Griffiths, R. W. Necrotising fasciitis in the head and neck region (letter to the editor), 176
Guerrerosantos, J. First use of tongue flap (letter to the editor), 543
Guignard, R., jt.author. *See* Auger, F. A.
Guimarães, A., jt.author. *See* Costa, H.
Guimarães, F., jt.author. *See* Costa, H.
Guimarães, I., jt.author. *See* Costa, H.
Gurusinghe, C. J., jt.author. *See* Gray, K. A.

H

Hancock, K., jt.author. *See* Drew, P. J.
Harada, T., jt.author. *See* Inoue, T.
Harada, T., jt.author. *See* Ueda, K.
Harashina, T., jt.author. *See* Inoue, T.
Harashina, T., jt.author. *See* Ueda, K.
Hargreaves, D. G. and Davies, M. S. Open tibial fractures (letter to the editor), 344
Harii, K., jt.author. *See* Takato, T.
Harii, K., jt.author. *See* Yamada, A.
Harrison, D. H. Morbidity after gold weight insertion – reply (letter to the editor), 344
Hart, N. B., jt.author. *See* Dujon, D.
Hata, Y. The vestibular fold (letter to the editor), 345
Hatayama, I., jt.author. *See* Sawada, Y.
Henderson, H. P. Angelman syndrome (letter to the editor), 175
Hergrueter, C. A., jt.author. *See* Duffy, F. J.
Heymans, M., Lengele, B., Lahlali, N. and Vanwijck, R. A peri-implant capsule flap, 456
Hillen, G., jt.author. *See* Wall, S. A.
Hirabayashi, S., jt.author. *See* Takato, T.
Hirasé, Y. Postoperative cooling enhances composite graft survival in nasal-alar and fingertip reconstruction, 707
Ho, L. C. Y. Endoscopic assisted transaxillary augmentation mammaplasty, 332
Hoekstra, M. J., Hupkens, P., Dutrieux, R. P., Bosch, M. M. C., Brans, T. A. and Kreis, R. W. A comparative burn wound model in the New Yorkshire pig for the histopathological evaluation of local therapeutic regimens: silver sulfadiazine cream as a standard, 585
Hoeyberghs, J. L. and Matthews, R. N. Localised varicosities in a 39-year-old tissue transfer to the lower limb (case report), 712
Horiuchi, Y. and Ryan, T. J. A comparison of newborn versus old skin fibroblasts, their potential for tissue repair, 132
Horng, S.-Y., Lin, T.-W. and Chen, M.-T. A simple device for nasal tube fixation in facial burns patients (ideas and innovations), 173
Horng, S.-Y., jt.author. *See* Chen, M.-T.
Hudson, D. A. and Fernandes, D. B. The modified Z-plasty for unilateral cleft lip repair, 676
Hudson, D. A., Goddard, E. A. and Millar, K. N. The management of skin infarction after meningococcal septicaemia in children, 243
Hupkens, P., jt.author. *See* Hoekstra, M. J.

Hyakusoku, H. Secondary vascularised hair-bearing island flaps for eyebrow reconstruction, 45
Hynes, W. The results of pharyngoplasty by muscle transplantation in "failed cleft palate" cases, with special reference to the influence of the pharynx on voice production (classic reprint), 430

I

Igawa, H., jt.author. *See* Yamamoto, Y.
Inada, Y., Fukui, A., Tamai, S. and Mizumoto, S. The arterialised venous flap: experimental studies and a clinical case, 61
Inada, Y., Tamai, S., Mizumoto, S., Ono, H., Kawanishi, K. and Fukui, A. Non-radioactive coloured microsphere measurement of regional tissue blood flow for axial pattern flaps in rabbits, 127
Inada, Y., jt.author. *See* Fukui, A.
Inada, Y., jt.author. *See* Ono, H.
Iñigo, F., Rojo, P. and Ysunza, A. Aesthetic treatment of Romberg's disease: experience with 35 cases, 194
Inoue, T., Ueda, K., Kurihara, T., Harada, T. and Harashina, T. A new cutaneous flap: snuff-box flap, 252
Inoue, T., jt.author. *See* Ueda, K.
Ioannides, Ch., Freihofer, H. P. and Friens, J. Fractures of the frontal sinus: a rationale of treatment, 208
Ishikawa, K., jt.author. *See* Suzuki, Y.
Isshiki, N., jt.author. *See* Suzuki, Y.
Itoh, Y., jt.author. *See* Yamada, A.

J

Jackson, I. T., jt.author. *See* Fukuta, K.
Jackson, I. T., jt.author. *See* Rachmiel, A.
Jigjinni, V., Kangesu, T. and Sommerlad, B. C. Do babies require arm spints after cleft palate repair?, 681
Jobe, R. The use of gold weights in the upper eyelid (letter to the editor), 343
Jones, C. R., jt.author. *See* Fahmy, F. S.
Jones, C. R., jt.author. *See* Kangesu, T.
Jones, M. E., Zeeman, B. and McGrouther, D. A. Apert's syndrome (letter to the editor), 542
Jones, N. F., jt.author. *See* Shestak, K. C.
Jongebloed, W. L., jt.author. *See* van der Lei, B.
Jørgenesen, P. H., Bang, C. and Andreassen, T. T. Mechanical properties of skin graft wounds, 565
Judson, R. T., jt.author. *See* Breidahl, A. F.

K

Kangesu, T., Navsaria, H. A., Manek, S., Fryer, P. R., Leigh, I. M. and Green, C. J. Kerato-dermal grafts: the importance of dermis for the *in vivo* growth of cultured keratinocytes, 401
Kangesu, T., Navsaria, H. A., Manek, S., Shurey, S., Jones, C. R., Fryer, P. R., Leigh, I. M. and Green, C. J. A porcine model using skin graft chambers for studies on cultured keratinocytes, 393
Kangesu, T., jt.author. *See* Jigjinni, V.
Karacaoğlan, N., Velidedeoğlu, H., Çiçekçi, B., Bozdoğan, N., Şahin, Ü. and Türkgüven, Y. Reverse W-M plasty in the repair of congenital syndactyly: a new method, 300
Kawanishi, K., jt.author. *See* Inada, Y.
Kay, S. P. J., jt.author. *See* Scott, M. J. L.
Kikawada, T., jt.author. *See* Yamada, A.
Kimble, F. W. and Govender, D. Chondrosarcoma following free fibula transfer for non-union of the tibia (case report), 85
Klaasen, M., jt.author. *See* Fontaine, S.de
Knight, K. R., jt.author. *See* Angel, M. F.
Knight, S. L., jt.author. *See* Blair, J. W.
Komuro, Y., jt.author. *See* Takato, T.
Koyama, H., jt.author. *See* Suzuki, Y.
Kreis, R. W., jt.author. *See* Hoekstra, M. J.
Kulkarni, N. D., jt.author. *See* Thatte, R. L.
Kurihara, T., jt.author. *See* Inoue, T.

L

Lacotte, B., jt.author. *See* Chahidi, N.
Lahlali, N., jt.author. *See* Heymans, M.
Lai, C.-S., Lin, S.-D., Chou, C.-K. and Tsai, C.-W. Innervated reverse digital artery flap through bilateral neurorrhaphy for pulp defects, 483
Laing, J. H. E. and Sanders, R. The Misti Gold bio-oncotic gel filled breast prosthesis: an acceptable alternative to silicone?, 240
Laitung, J. K. G., Coghlan, B. A. and Pigott, R. W. A comparison of computer versus panel assessment of two groups of patients with cleft lip and palate, 18
Laitung, J. K. G., jt.author. *See* Coghlan, B. A.
Lalbahadur, A., jt.author. *See* Bowen Jones, E.
Lalwani, N. R., jt.author. *See* Gahankari, D. R.
Lam, L. K., jt.author. *See* Lim, L. H.
Lam, Y.-L., jt.author. *See* Wu, W.-C.
Lamberty, B. G. H., jt.author. *See* Niazi, Z. B. M.
Lari, A. R. A., jt.author. *See* Bang, R. L.
Lavelle, J., jt.author. *See* Budny, P. G.
Lawlor, D., jt.author. *See* Butler, P. E. M.
Lawrence, C. M. Mohs surgery of basal cell carcinoma – a critical review, 599
Lei, B.van der *See* van der Lei, B.
Leigh, I. M., jt.author. *See* Carver, N.
Leigh, I. M., jt.author. *See* Fahmy, F. S.
Leigh, I. M., jt.author. *See* Kangesu, T.
Lengele, B., jt.author. *See* Heymans, M.
Lenoble, E., Foucher, G., Voisin, M.-C., Maurel, A. and Goutallier, D. Observations on experimental flow-through venous flaps, 378
Lim, L. H., Lam, L. K., Moore, M. H., Trott, J. A. and David, D. J. Associated injuries in facial fractures: review of 839 patients, 635
Lim, T. C., Mokal, N. and Tan, W. T. L. A self-retaining nasal splint (letter to the editor), 714
Lin, S.-D., jt.author. *See* Lai, C.-S.
Lin, T.-W., jt.author. *See* Horng, S.-Y.
Llanos, C., jt.author. *See* Chamorro, M.
Lodge, M. L., jt.author. *See* Moore, M. H.
Lopes, A., jt.author. *See* Costa, H.
López Valle, C. A., jt.author. *See* Auger, F. A.

M

McGregor, I. A. The pursuit of function and cosmesis in managing oral cancer, 22
McGrouther, D. A., jt.author. *See* Jones, M. E.
McHugh, M., jt.author. *See* Butler, P. E. M.
McLaren, K. M., jt.author. *See* Park, K. G. M.
McLaughlin, C. R. Epiphora in facial paralysis (classic reprint), 143
McLean, N. R., jt.author. *See* Panchal, J. I.
Maeda, M., jt.author. *See* Fukui, A.
Mahaluxmivala, S., jt.author. *See* Borkar, A. S.
Maitz, P. K. M., jt.author. *See* Duffy, F. J.
Mallucci, P. L. and Morgan, B. D. Darrier's disease (letter to the editor), 346
Malta, A., jt.author. *See* Costa, H.
Manek, S., Terenghi, G., Shurey, C., Nishikawa, H., Green, C. J. and Polak, J. M. Neovascularisation precedes neural changes in the rat groin skin flap following denervation: an immunohistochemical study, 48
Manek, S., jt.author. *See* Kangesu, T.
Martins, D. M. F. S., jt.author. *See* Andrews, J. M.
Maruyama, Y., jt.author. *See* Ohsaki, M.
Mathur, A. K., jt.author. *See* Borkar, A. S.
Matthews, R. N., jt.author. *See* Hoeyberghs, J. L.
Maurel, A., jt.author. *See* Lenoble, E.
Méndez-Fernández, M. A. Treatment of chronic recurrent synovial fistulae with myofascial flaps, 303
Mercer, N. S., jt.author. *See* Choyce, M. Q.
Mii, Y., jt.author. *See* Fukui, A.
Millar, K. N., jt.author. *See* Hudson, D. A.
Mine, T., jt.author. *See* Fukui, A.
Mitchell, G. M., jt.author. *See* Gray, K. A.
Miyashita, H., jt.author. *See* Yamada, A.
Mizumoto, S., jt.author. *See* Inada, Y.
Mizumoto, S., jt.author. *See* Ono, H.
Mohan, N., jt.author. *See* Trott, J. A.
Mokal, N. , jt.author. *See* Lim, T. C.
Moledo, E., jt.author. *See* Taboada, E.
Moore, J. C., Ray, A. K. and Shakespeare, P. G. Surface ultrastructure of human dermis and wounds, 460
Moore, M. H. Upper airway obstruction in the syndromal craniosynostoses, 355
Moore, M. H., Lodge, M. L. and David, D. J. Basal encephalocoele: imaging and exposing the hernia, 497

Moore, M. H., Wong, K. S., Proudman, T. W. and David, D. J. Progressive hemifacial atrophy (Romberg's disease): skeletal involvement and treatment, 39
Moore, M. H., jt.author. *See* Lim, L. H.
Morgan, B. D., jt.author. *See* Mallucci, P. L.
Morgan, R. F., jt.author. *See* Angel, M. F.
Morrison, W. A., jt.author. *See* Gray, K. A.
Mullett, F. L. H. and Smith, P. J. Hand splintage following surgery for dystrophic epidermolysis bullosa, 192
Murison, M. S. C., jt.author. *See* Cussons, P. D.
Mutaf, M., Şensöz, Ö. and Üstüner, E. T. A new design of the cross-finger flap: the C-ring flap, 97
Myers, E. N., jt.author. *See* Shestak, K. C.

N

Nagasaka, S., jt.author. *See* Ueda, K.
Nakajima, T. and Yoshimura, Y. Early repair of unilateral cleft lip employing a small triangular flap method and primary nasal correction, 616
Nakatsuchi, Y., jt.author. *See* Saitoh, S.
Nakayama, Y., jt.author. *See* Endo, T.
Navsaria, H. A., jt.author. *See* Carver, N.
Navsaria, H. A., jt.author. *See* Fahmy, F. S.
Navsaria, H. A., jt.author. *See* Kangesu, T.
Naylor, I. L., jt.author. *See* Coleman, D. J.
Niazi, Z. B. M. and Lamberty, B. G. H. Perineural infiltration in basal cell carcinomas, 156
Nishikawa, H., jt.author. *See* Manek, S.
Nohira, K., jt.author. *See* Yamamoto, Y.
Norris, R. W., jt.author. *See* Calder, J. S.

O

Oba, S., jt.author. *See* Ueda, K.
Ohsaki, M. and Maruyama, Y. Anatomical investigations of the cutaneous branches of the circumflex scapular artery and their communications, 160
Ohura, T., jt.author. *See* Yamamoto, Y.
Olivier, T. V., jt.author. *See* Gray, K. A.
Ono, H., Tamai, S., Yajima, H., Fukui, A., Inada, Y. and Mizumoto, S. Blood flow through prefabricated flaps – an experimental study in rabbits, 449
Ono, H., jt.author. *See* Inada, Y.
O'Shaughessy, M. Heparinised saline solutions (letter to the editor), 268

P

Padfield, C. J. H., jt.author. *See* Choyce, M. Q.
Panchal, J. I., Agrawal, R. W., McLean, N. R. and Dawes, P. J. D. K. Early postoperative brachytherapy following free flap reconstruction, 511
Park, A. The case of the disappearing leech (letter to the editor), 543
Park, K. G. M., Blessing, K., McLaren, K. M. and Watson, A. C. H. A study of thin (< 1.5mm) malignant melanomas with poor prognosis, 607
Patel, B. C., Flaharty, P. and Anderson, R. L. Morbidity after gold weight insertion (letter to the editor), 343
Perkins, B., jt.author. *See* Wall, S. A.
Perks, A. G. B., jt.author. *See* Dunaway, D. J.
Perula, L. A., jt.author. *See* Alonso, P. E.
Phipps, A. J., jt.author. *See* Ross, D. A.
Pickford, M. A. and Boorman, J. G. Early experience with the Lejour vertical scar reduction mammaplasty technique, 516
Pickford, M. A., jt.author. *See* Tanner, N. S. B.
Pigott, R. W. The results of pharyngoplasty by muscle transplantation by Wilfred Hynes, 440
Pigott, R. W., jt.author. *See* Coghlan, B. A.
Pigott, R. W., jt.author. *See* Cussons, P. D.
Pigott, R. W., jt.author. *See* Laitung, J. K. G.
Pigott, R. W., jt.author. *See* Tan, K. K.
Pinal F.del and Taylor, G. I. The deep venous system and reverse flow flaps, 652
Polak, J. M., jt.author. *See* Manek, S.
Porter, J. M. and Treasure, J. Excision of benign pigmented skin tumours by deep shaving, 255
Potparic, Z., jt.author. *See* Rachmiel, A.
Pribaz, J. J., jt.author. *See* Duffy, F. J.
Proudman, T. W., jt.author. *See* Moore, M. H.
Pusane, A., jt.author. *See* Cetinkale, O.

Q

Quaba, A. A., jt.author. *See* Sarhadi, N. S.
Quaba, A. A., jt.author. *See* Scheepers, J. H.

R

Rachmiel, A., Potparic, Z., Jackson, I. T., Sugihara, T., Clayman, L., Topf, J. S. and Forté, R. A. Midface advancement by gradual distraction, 201
Rajacic, N., Ebrahim, M. K. H., Grgurinovic, S. and Starovic, B. Foot reconstruction using vascularised fibula, 317
Ramos, R. R., jt.author. *See* Andrews, J. M.
Ray, A. K., jt.author. *See* Moore, J. C.
Regan, P. J., jt.author. *See* Budny, P. G.
Revol, M., jt.author. *See* Vergote, T.
Richards, A. M., jt.author. *See* Arnstein, P. A.
Rigby, H. S., jt.author. *See* Briggs, J. C.
Rioja, L. F., jt.author. *See* Alonso, P. E.
Roberts, A. H. N., jt.author. *See* Budny, P. G.
Roberts, R. H., jt.author. *See* Tan, S. T.
Robinson, P. H., jt.author. *See* van der Lei, B.
Rodríguez-Alvariño, A., jt.author. *See* Chamorro, M.
Rojo, P., jt.author. *See* Iñigo, F.
Romeo, R., jt.author. *See* Gray, K. A.
Ross, D. A., Phipps, A. J. and Clarke, J. A. The use of cerium nitrate-silver sulphadiazine as a topical burns dressing, 582
Roth, A. G., jt.author. *See* Shestak, K. C.
Ryan, T. J., jt.author. *See* Horiuchi, Y.

S

Saad, M. A., jt.author. *See* Shalaby, H. A.
Şahin, Ü., jt.author. *See* Karacaoğlan, N.
Saitoh, S. and Nakatsuchi, Y. Introduction of loop sutures in microsurgical telescoping anastomosis, 105
Sakai, S. A distally based island first dorsal metatarsal artery flap for the coverage of a distal plantar defect, 480
Sanders, R., jt.author. *See* Laing, J. H. E.
Sarhadi, N. S. and Quaba, A. A. Experience with the adipofascial turn-over flap, 307
Sawada, Y. Pressure developed under pressure garment, 538
Sawada, Y., Hatayama, I. and Sone, K. Release of ofloxacin from silicone gel sheet, 576
Sawada, Y., Hatayama, I. and Sone, K. The relationship between time of application of Prostaglandin E1 and improved flap survival, 580
Sawada, Y., Sugawara, M., Hatayama, I. and Sone, K. A study of topical and systemic Prostaglandin E1 and survival of experimental skin flaps, 670
Scheepers, J. H. and Quaba, A. A. Clinical experience with the PLDL-1 (Pigmented Lesion Dye Laser) in the treatment of pigmented birthmarks: a preliminary report, 247
Scott, M. J. L. and Kay, S. P. J. A simple atraumatic method of pedicle delivery during free tissue transfer (ideas and innovations), 340
Şensöz, Ö., jt.author. *See* Mutaf, M.
Senyuva, C., jt.author. *See* Cetinkale, O.
Servant, J. M., jt.author. *See* Vergote, T.
Shakespeare, P. G., jt.author. *See* Moore, J. C.
Shalaby, H. A. and Saad, M. A. The venous island flap: is it purely venous?, 285
Sharpe, D. T., jt.author. *See* Coleman, D. J.
Shestak, K. C., Roth, A. G., Jones, N. F. and Myers, E. N. The cervicopectoral rotation flap – a valuable technique for facial reconstruction, 375
Shintomi, Y., jt.author. *See* Yamamoto, Y.
Shurey, C., jt.author. *See* Manek, S.
Shurey, C. B., jt.author. *See* Kangesu, T.
Sinclair, S. W., jt.author. *See* Tan, S. T.
Slator, R. Rhinoplasty patients revisited, 327
Smith, P. J., jt.author. *See* Mullett, F. L. H.
So, Y.-C., jt.author. *See* Wu, W.-C.
Sommerlad, B. C., jt.author. *See* Jigjinni, V.

Sone, K., jt.author. *See* Sawada, Y.
Song, Y.-G., jt.author. *See* Xiu, Z.-F.
Soutar, D. S., jt.author. *See* Fontaine, S.de
Soutar, D. S., jt.author. *See* Telfer, J. R. C.
Stallard, H. B. Slitting the lower canaliculus (classic reprint), 148
Starovic, B., jt.author. *See* Rajacic, N.
Subrahmanyam, M. Honey impregnated gauze versus polyurethane film (OpSite®) in the treatment of burns – a prospective randomised study, 322
Sugawara, M., jt.author. *See* Sawada, Y.
Sugihara, T., jt.author. *See* Rachiel, A.
Sugihara, T., jt.author. *See* Yamamoto, Y.
Susami, T., jt.author. *See* Takato, T.
Suzuki, Y., Ishikawa, K., Issikawa, N. and Takami, S. Fingertip replantation with an efferent A-V anastomosis for venous drainage: clinical reports, 187
Suzuki, Y., Isshiki, N., Ishikawa, K. and Koyama, H. Viability and quantitative dermofluorometry of experimental arterialised and non-arterialised venous flaps, 273
Svartling, N. E., jt.author. *See* Tuominen, H. P.

T

Taboada, E., Moledo, E., Alvarez, A. and Comellas, M. Sebaceous naevus of Jadassohn and primary mediastinal lipomatosis (case report), 264
Takami, S., jt.author. *See* Suzuki, Y.
Takato, T., Harii, K., Hirabayashi, S., Komuro, Y., Yonehara, Y. and Susami, T. Mandibular lengthening by gradual distraction: analysis using accurate skull replicas, 686
Takato, T., Harii, K., Komuro, Y. and Yonehara, Y. Experimental study on growth of epiphysial plate: free graft in rabbits, 416
Takato, T., Komuro, Y., Yonehara, H. and Zuker, R. M. Prefabricated venous flaps: an experimental study in rabbits, 122
Tamai, S., jt.author. *See* Fukui, A.
Tamai, S., jt.author. *See* Inada, Y.
Tamai, S., jt.author. *See* Ono, H.
Tan, K. K. and Pigott, R. W. A morbidity review of children with complete unilateral cleft lip nose at 10 ± 1 years of age, 1
Tan, S. T., Roberts, R. H. and Blake, G. B. Comparing DuoDERM E® with scarlet red in the treatment of split-skin graft donor sites, 79
Tan, S. T., Roberts, R. H. and Sinclair, S. W. A comparison of Zenoderm® with DuoDERM E® in the treatment of split-skin graft donor sites, 82
Tan, W. T. L., jt.author. *See* Lim, T. C.
Tanner, N. S. B. and Pickford, M. A. Preliminary report: intratumoral ligation as a salvage procedure for the management of life-threatening arteriovenous malformations, 694
Taylor, G. I., jt.author. *See* Pinal F.del
Telfer, J. R. C., Bainbridge, L. C. and Soutar, D. S. Recurrence of intraoral squamous cell carcinoma at the base of nasolabial flaps used for intraoral reconstruction: a report of two cases (case report), 266
Temlett, J. A., jt.author. *See* Wall, S. A.
Terenghi, G., jt.author. *See* Manek, S.
Thatte, R. L., Wagh, M. S. and Kulkarni, N. D. Identical unusual subtotal penile amputation in children: a report of four cases, 535
Timmons, M. J. Malignant melanoma excision margins: plastic surgery audit in Britain and Ireland, 1991, and a review, 525
Topf, J. S., jt.author. *See* Rachmiel, A.
Townsend, P. L. G., jt.author. *See* Coghlan, B. A.
Treasure, J., jt.author. *See* Porter, J. M.
Tredget, E. E., jt.author. *See* Fraulin, F. O. G.
Trott, J. A. A preliminary report on a strategy for treatment of male pattern baldness: bilateral vertical flaps plus tissue expansion, 611
Trott, J. A. and Mohan, N. A preliminary report on one stage open tip rhinoplasty at the time of lip repair in bilateral cleft lip and palate: the Alor Setar experience, 215
Trott, J. A. and Mohan, N. A preliminary report on open tip rhinoplasty at the time of lip repair in unilateral cleft lip and palate: the Alor Setar experience, 363
Trott, J. A., jt.author. *See* Lim, L. H.
Tsai, C.-W., jt.author. *See* Lai, C.-S.
Tuominen, H. P., Asko-Seljavaara, S. and Svartling, N. E. Cutaneous blood flow in the free TRAM flap, 665
Türkgüven, Y., jt.author. *See* Karacaoğlan, N.

U

Ueda, K., Harada, T., Nagasaka, S., Oba, S., Inoue, T. and Harashina, T. An experimental study of delay of flow-through venous flaps, 56
Ueda, K., Harashina, T., Harada, T., Oba, S. and Nagasaka, S. Omentum as gliding material after extensive forearm tenolysis, 590
Ueda, K., jt.author. *See* Inoue, T.
Üstüner, E. T., jt.author. *See* Mutaf, M.

V

van der Lei, B., Dijk, F., Bartels, H. L., Jongebloed, W. L. and Robinson, P. H. Healing of microvenous PTFE prostheses implanted into the rat femoral vein, 110
Vanwijck, R., jt.author. *See* Heymans, M.
Vaz, R., jt.author. *See* Costa, H.
Velidedeoglu, H., jt.author. *See* Karacaoglan, N.
Vergote, T., Revol, M., Servant, J. M. and Banzet, P. Use of the inferiorly based rectus abdominis flap for inguinal and perineal coverage – low venous pressure zone concept, 168
Vijaya Kumar, M., jt.author. *See* Gopinath, K. S.
Voisin, M.-C., jt.author. *See* Lenoble, E.
Vozdvizhensky, S. I. and Albanova, V. I. Surgical treatment of contracture and syndactyly of children with epidermolysis bullosa, 314

W

Wagh, M. S., jt.author. *See* Thatte, R. L.
Wall, S. A., Chait, L. A., Temlett, J. A., Perkins, B., Hillen, G. and Becker, P. Botulinum A chemodenervation: a new modality in cerebral palsied hands, 703
Ward, C. Defining medical ethics, 647
Watson, A. C. H., jt.author. *See* Park, K. G. M.
Wei, F. C., Epstein, M. D., Chen, H. C., Chuang, C. C. and Chen, H. T. Microsurgical reconstruction of distal digits following mutilating hand injuries: results in 121 patients, 181
Whear, N. M. and Cousley, R. R. J. Necrotising fasciitis (letter to the editor), 715
Wilson, D. and Evans, J. Non-medical implications of malignant melanoma, 158
Wolff, K.-D. The supramalleolar flap based on septocutaneous perforators from the peroneal vessels for intraoral soft tissue replacement, 151
Wong, K. S., jt.author. *See* Moore, M. H.
Wu, W.-C., Chang, Y.-P., So, Y.-C., Yip, S.-F. and Lam, Y.-L The anatomic basis and clinical applications of flaps based on the posterior tibial vessels, 470

X

Xiu, Z.-F. and Song, Y.-G. A new technique to anastomose vessels with great discrepancy in diameter (ideas and innovations), 619

Y

Yajima, H., jt.author. *See* Ono, H.
Yamada, A., Harii, K., Itoh, Y., Kikawada, T. and Miyashita, H. Reconstruction of the cervical trachea with a free forearm flap, 32
Yamamoto, Y., Nohira, K., Shintomi, Y., Ohura, T., Sugihara, T. and Igawa, H. Abdominoplasty in paraplegic patients, 337
Yip, S.-F., jt.author. *See* Wu, W.-C.
Yonehara, H., jt.author. *See* Takato, T.
Yonehara, Y., jt.author. *See* Takato, T.
Yoshimura, Y., jt.author. *See* Nakajima, T.
Yotsuyanagi, T. Compressive plastic splint for postoperative management of the ear (ideas and innovations), 622
Ysunza, A., jt.author. *See* Iñigo, F.

Z

Zeeman, B., jt.author. *See* Jones, M. E.
Zuker, R. M., jt.author. *See* Al-Qattan, M. M.
Zuker, R. M., jt.author. *See* Takato, T.